

Supplementary Table 3. List of primers used for bisulfite sequencing polymerase chain reaction

Gene	Sequences (5'– 3')	Strand
<i>APOD</i>	AGGTAGTTTTAGATGTAGAATTAGT	Forward
<i>APOD</i>	AAATATTTAAAAACATATTACAACAC	Reverse
<i>FAP</i>	TTATTGAGGAAGTAAATATTATGTATAAA	Forward
<i>FAP</i>	ATCCTCAATAAATCTAAAAAAA	Reverse
<i>LITAF</i>	GGGTATGTTATTTATTTTTTIGAGTT	Forward
<i>LITAF</i>	AACCACATCATAATTCTACCCATCT	Reverse
<i>NUPR1</i>	TGTTTGTTTTGTTTTTGGTTT	Forward
<i>NUPR1</i>	AATATACTAATATCCCTCCCCCTC	Reverse
<i>SORT1</i>	TTTGAGTTTGTTTAGTTGGAAAAGG	Forward
<i>SORT1</i>	AACATCACATACTAAAACCAAACTTATC	Reverse

APOD, apolipoprotein D; *FAP*, fibroblast activation protein alpha; *LITAF*, lipopolysacchride induced tumor necrosis factor-alpha factor; *NUPR1*, nuclear protein 1; *SORT1*, sortilin 1.