

Supplementary Table 1. Patient- and aneurysm characteristics of included cohorts

Characteristic	Toulouse, France 2004-2017	Toyama, Japan 2005-2017	UCASII centers, Japan 2006-2016	Nijmegen, the Netherlands 2005-2017	Kuopio, Finland 2003-2016	Tampere, Finland 2001-2016	Glasgow, UK 2002-2017	Mannheim and Dusseldorf, Germany 2004-2017	Turku, Finland 2011-2017	Amsterdam, the Netherlands 1996-2017	The Hague, the Netherlands 2007-2017
Follow-up period	2004-2017	2005-2017	2006-2016	2005-2017	2003-2016	2001-2016	2002-2017	2004-2017	2011-2017	1996-2017	2007-2017
Patient characteristic											
No. of patients	198	34	50	66	66	70	151	67	73	253	44
Women	153 (77)	30 (88)	35 (70)	49 (74)	41 (62)	41 (59)	119 (79)	48 (72)	51 (70)	195 (77)	34 (77)
Mean age (yr)	55 (25-81)	65 (28-89)	63 (35-83)	57 (19-80)	53 (19-76)	59 (26-76)	54 (30-78)	57 (21-83)	55 (26-75)	54 (19-82)	63 (38-83)
Previous SAH	10 (5)	0 (0)	0 (0)	21 (32)	16 (24)	17 (24)	41 (27)	22 (33)	7 (10)	90 (36)	8 (18)
Multiple aneurysms	46 (23)	5 (15)	2 (4)	14 (21)	32 (49)	21 (30)	59 (39)	14 (21)	19 (26)	63 (25)	10 (23)
Aneurysm characteristic											
No. of aneurysms	259	39	52	88	115	104	232	85	92	333	53
Aneurysm-years of follow-up	654	162	140	221	255	268	955	251	122	1,133	106
Mean aneurysm size (mm)	4.7 (1.3-17)	3.8 (1.5-13)	4.5 (2.0-17)	5.0 (1.0-50)	3.3 (1.5-14)	3.6 (1.0-15)	4.3 (1.0-20)	3.9 (1.0-15)	4.1 (1.0-11)	4.4 (1.0-25)	5.4 (1.9-27)
1.0-2.9	52 (20)	18 (46)	6 (12)	27 (31)	62 (54)	47 (45)	82 (35)	36 (42)	37 (40)	135 (41)	17 (32)
3.0-4.9	112 (43)	15 (39)	30 (58)	30 (34)	40 (35)	34 (33)	74 (32)	28 (33)	32 (35)	81 (24)	19 (36)
5.0-6.9	61 (24)	3 (8)	9 (17)	13 (15)	8 (7)	11 (11)	42 (18)	12 (14)	14 (15)	59 (18)	5 (9)
7.0-9.9	28 (11)	2 (5)	5 (10)	9 (10)	4 (4)	7 (7)	24 (10)	6 (7)	4 (4)	39 (12)	8 (15)
≥10.0	6 (2)	1 (3)	2 (4)	9 (10)	1 (1)	5 (5)	10 (4)	3 (4)	5 (5)	19 (6)	4 (8)
Aneurysm location											
MCA	97 (38)	13 (33)	15 (29)	31 (35)	52 (45)	55 (53)	112 (48)	26 (31)	28 (30)	135 (41)	16 (30)
ICA	85 (33)	20 (51)	9 (17)	28 (32)	17 (15)	15 (14)	31 (13)	24 (28)	39 (42)	75 (23)	19 (36)
ACA/ACOM	54 (21)	3 (8)	12 (23)	21 (24)	32 (28)	25 (24)	39 (17)	21 (25)	14 (15)	61 (18)	12 (23)
PCOM	9 (4)	0 (0)	5 (10)	4 (5)	5 (4)	1 (1)	25 (11)	5 (6)	2 (2)	33 (10)	4 (8)
Posterior circulation	14 (5)	3 (8)	11 (21)	4 (5)	9 (8)	8 (8)	27 (11)	9 (11)	9 (10)	29 (9)	2 (4)
Irregular shape	65 (25)	4 (10)	12 (23)	6 (6)	30 (26)	6 (5)	38 (16)	17 (20)	22 (24)	33 (10)	8 (15)
Aneurysm growth	38 (15)	5 (13)	2 (4)	5 (6)	12 (10)	5 (5)	39 (17)	13 (15)	12 (13)	64 (19)	4 (8)

Values are presented as number (%) or mean (range). Means were chosen to facilitate comparison with the ELAPSS (Earlier subarachnoid hemorrhage, aneurysm Location, Age, Population, aneurysm Size and Shape) development article.

UCASII, Unruptured Cerebral Aneurysm Study II; SAH, subarachnoid hemorrhage; MCA, middle cerebral artery; ICA, internal carotid artery; ACA, anterior cerebral artery; ACOM, anterior communicating artery; PCOM, posterior communicating artery.