Supplementary Table 3. Clinical and laboratory data of individual studies included in the review

Study	Type of study	No. of stroke patients (total no. of patients if different)	Symptomatic for COVID-19 at time of stroke	Age (yr)	Sex distribution (males)	Type of stroke IS	Type of stroke, ICH	Type of stroke, CVT	Type of stroke others like SAH	Stroke etiology by TOAST where available and indicated	LAD	SVD	CE	Others (other determined and indeterminate causes)	Type of patients ICU/severe	CT brain done	MRI brain done	Vascular imaging	CXR abnormal among those where results available	CT chest abnormal among those where results available	CTPA for PTE abnormal among those where results available
Beyrouti et al.[2]	Case Series	6	5 (83.3)	69.83±12.72	5 (83.3)	6 (100)	0 (0)	0 (0)	0 (0)	NA	NA	NA	NA	NA	2 (33.3)	3 (50)	3 (50)	2 (33.3)	4 (100)	3 (100)	2 (40)
Viguier et al.[3]	Case report	1	1 (100)	66	1 (100)	1 (100)	0 (0)	0 (0)	0 (0)	1 (100)	1 (100)	NA	NA	NA	1 (100)	1 (100)	1 (100)	1 (100)	NA	1 (100)	NA
Avulaa et al.[4]	Retrospective observational study	4	2 (50)	81±6.27	1 (25)	4 (100)	0 (0)	0 (0)	0 (0)	3 (75)	3 (100)	NA	NA	NA	4 (100)	2 (66.7)	1 (33.3)	3 (75)	1 (100)	3 (100)	NA
Zhou et al.[5]	Case report	1	1 (100)	75	0 (0)	0 (0)	0 (0)	1 (100)	0 (0)	NA	NA	NA	NA	NA	1 (100)	1 (100)	0 (0)	NA	0 (0)	1 (100)	NA
Sharifi-Razavi et al.[6]	Case report	1	1 (100)	79	1 (100)	0 (0)	1 (100)	0 (0)	0 (0)	NA	NA	NA	NA	NA	1 (100)	1 (100)	0 (0)	NA	0 (0)	1 (100)	NA
Zhang et al.[7]	Case series	3	3 (100)	68±2.65	2 (66.6)	3 (100)	0 (0)	0 (0)	0 (0)	3 (100)	NA	NA	NA	3 (100)	3 (100)	3 (100)	0 (0)	NA	NA	3 (100)	NA
Morassi et al.[8]	Case series	6	6 (100)	68.5±10.63	5 (83.3)	4 (66.6)	2 (33.3)	0 (0)	0 (0)	3 (100)	0 (0)	0 (0)	0 (0)	3 (100)	6 (100)	6 (100)	1 (16.7)	3 (50)	2 (100)	6 (100)	NA
Helms et al.[9]	Prospective cohort study	3 (150)	3 (100)	NA	NA	2 (66.6)	1 (33.3)	0 (0)	0 (0)	NA	NA	NA	NA	NA	3 (100)	1 (33.3)	2 (66.7)	NA	3 (100)	3 (100)	NA
González-Pinto et al.[10]	Case report	1	1 (100)	36	0 (0)	1 (100)	0 (0)	0 (0)	0 (0)	1 (100)	1 (100)	NA	NA	NA	NA	1 (100)	0 (0)	1 (100)	NA	1 (100)	NA
Oxley et al.[11]	Case series	5	3 (60)	40.4±6.2	4 (80)	5 (100)	0 (0)	0 (0)	0 (0)	5 (100)	5 (100)	NA	NA	NA	2 (40)	5 (100)	4 (80)	5 (100)	NA	NA	NA
Klok et al.[12]	Retrospective observational study	3 (184)	3 (100)	NA	NA	3 (100)	0 (0)	0 (0)	0 (0)	NA	NA	NA	NA	NA	3 (100)	NA	NA	NA	3 (100)	3 (100)	NA
Al Saiegh et al.[13]	Case series	2	2 (100)	46.5±21.9	1 (50)	1 (50)	1 (50)	0 (0)	1 (50)	1 (100)	1 (100)	NA	NA	NA	2 (100)	2 (100)	0 (0)	2 (100)	1 (100)	NA	NA
Zhai et al.[14]	Case report	1	1 (100)	79	1 (100)	1 (100)	0 (0)	0 (0)	0 (0)	0 (0)	NA	1 (100)	NA	NA	0 (0)	1 (100)	0 (0)	0 (0)	NA	1 (100)	NA
Yaghi et al.[15]	Retrospective observational study	32	24 (75)	56.25±10.99	23 (71.8)	32 (100)	0 (0)	0 (0)	0 (0)	32 (100)	2 (6.25)	0 (0)	7 (21.9)	23 (71.9)	27 (84.3)	32 (100)	0 (0)	32 (100)	NA	NA	0 (0)
Valderrama et al.[16]	Case report	1	1 (100)	52	1 (100)	1 (100)	0 (0)	0 (0)	0 (0)	1 (100)	NA	NA	NA	1 (100)	0 (0)	1 (100)	0 (0)	1 (100)	0 (0)	NA	NA
He et al.[17]	Case report	1	1 (100)	70	01 (100)	1 (100)	0 (0)	0 (0)	1 (100)	NA	NA	NA	NA	NA	1 (100)	1 (100)	0 (0)	0 (0)	1 (100)	1 (100)	NA
Li et al.[18,*]	Retrospective observational study	13 (221)	13 (100)	71.6 ±15.7	6 (46.2)	11 (84.6)	1 (7.7)	1 (7.7)	0 (0)	11 (100)	5 (45.5)	3 (27.3)	3 (27.3)	NA	11 (84.6)	13 (100)	0 (0)	NA	NA	13 (100)	NA
Mao et al.[19]	Retrospective observational study	6 (214)	4 (67)	NA	NA	5 (83.3)	1 (16.6)	0 (0)	0 (0)	NA	NA	NA	NA	NA	5 (83.3)	NA	NA	NA	NA	NA	NA
Helms et al.[20]	Retrospective observational study	3 (58)	3 (100)	NA	NA	3 (100)	0 (0)	0 (0)	0 (0)	NA	NA	NA	NA	NA	NA	0 (0)	3 (100)	NA	NA	NA	NA
Lodigiani et al.[21]	Retrospective observational study	9 (388)	9 (100)	68.4±5.9	6 (66.6)	9 (100)	0 (0)	0 (0)	0 (0)	NA	NA	NA	NA	NA	3 (33.3)	NA	NA	NA	NA	NA	NA
TunÇ et al.[22]	Case series	4	4 (100)	65.3±14.1	2 (50)	4 (100)	0 (0)	0 (0)	0 (0)	4 (100)	2 (50)	2 (50)	NA	NA	0 (0)	0 (0)	4 (100)	4 (100)	NA	4 (100)	NA
Muhammad et al.[23]	Case report	1	0 (0)	60	0 (0)	0 (0)	1 (100)	0 (0)	1 (100)	NA	NA	NA	NA	NA	1 (100)	1 (100)	0 (0)	1 (100)	NA	1 (100)	1 (100)
Garaci et al.[24]	Case report	1	1 (100)	44	0 (0)	0 (0)	0 (0)	1 (100)	0 (0)	NA	NA	NA	NA	NA	1 (100)	1 (100)	0 (0)	1 (100)	NA	1 (100)	1 (100)
Moshayedi et al.[25]	Case report	1	1 (100)	80	1 (100)	1 (100)	0 (0)	0 (0)	0 (0)	1 (100)	1 (100)	NA	NA	NA	1 (100)	0 (0)	1 (100)	1 (100)	NA	NA	NA
Zulfiqar et al.[26]	Case report	1	1 (100)	65	0 (0)	0 (0)	0 (0)	0 (0)	1 (100)	NA	NA	NA	NA	NA	1 (100)	1 (100)	0 (0)	0 (0)	NA	1 (100)	1 (100)
Chen et al.[27]	Case report	1	0 (0)	78	1 (100)	1 (100)	0 (0)	0 (0)	0 (0)	NA	NA	NA	NA	NA	1 (100)	1 (100)	0 (0)	0 (0)	NA	1 (100)	1 (100)
Co et al.[28]	Case report	1	1 (100)	62	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (100)	1 (100)	NA	NA	NA	1 (100)	1 (100)	0 (0)	1 (100)	NA	1 (100)	1 (100)
Deliwala et al.[29]	Case report	1	1 (100)	31	0 (0)	1 (100)	0 (0)	0 (0)	0 (0)	NA	NA	NA	NA	NA	1 (100)	1 (100)	0 (0)	NA	1 (100)	1 (100)	1 (100)
Goldberg et al.[30]	Case report	1	1 (100)	64	1 (100)	1 (100)	0 (0)	0 (0)	0 (0)	1 (100)	1 (100)	NA	NA	NA	1 (100)	1 (100)	0 (0)	1 (100)	NA	1 (100)	NA
Dahl-Cruz et al.[31]	Case report	1	1 (100)	53	1 (100)	0 (0)	0 (0)	1 (100)	0 (0)	NA	NA	NA	NA	NA	0 (0)	1 (100)	0 (0)	1 (100)	1 (100)	NA	NA

Study	Time gap from COVID-19 to onset of stroke in days	HTN	DM	CAD	Previous stroke	HF	Dyslipidemia	AF	Smoking	Alcohol	CLD	CKD	COPD	Malignancy	Clinical stroke where details available	CRP (mg/L)	D-dimer (μg/mL)	Ferritin (ng/mL)	Leucocyte count (/μL)	Lymphocyte count (/μL)	Platelet count (/μL)	Creatinine (mg/dL)
Beyrouti et al.[2]	12±8.7	4 (66.7)	2 (33.3)	2 (33.3)	1 (16.7)	1 (16.7)	1 (16.7)	2 (33.3)	01 (16.6)	1 (16.6)	0 (0)	0 (0)	0 (0)	2 (33.3)	6 (100)	139.5±108	25.3 (28.3)	1,925.8±1,732.8	10,363±6,537	1,100±700	290±100.5	0.9±10.2
Viguier et al.[3]	9	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	NA	NA	NA	NA	1 (100)	1 (100)	219	2.2	NC	NA	500	Normal[†]	NA
Avulaa et al.[4]	3±75	4 (100)	1 (25)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	NA	NA	1 (25)	NA	NA	3 (75)	183.9±70.1	8.7 (7.4)	NC	10,900±6,100	1,100±300	219±109.1	1.3±0.4
Zhou et al.[5]	25	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	NA	NA	NA	NA	NA	1 (100)	42.5	0.8	NA	5,600	700	NA	0.8
Sharifi-Razavi et al.[6]	3	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	NA	NA	NA	NA	NA	1 (100)	10	NA	NA	NA	600	210	NA
Zhang et al.[7]	20.3±11.68	3 (100)	2 (66.7)	0 (0)	2 (66.7)	0 (0)	0 (0)	0 (0)	0 (0)	NA	NA	NA	NA	1 (33.3)	0 (0)	97.8±36.8	9 (10.4)	2207.8	11,100±5,900	500±300	112.3±58.6	0.84±0.16
Morassi et al.[8]	13.2±2.99	4 (66.7)	3 (50)	1 (16.7)	1 (16.7)	0 (0)	0 (0)	0 (0)	01 (16.6)	NA	NA	NA	NA	NA	2 (33.3)	108.2±91.3	3.9 (3.3)	NA	NA	NA	78	3.14±1.9
Helms et al.[9]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0 (0)	NA	NA	NA	NA	NA	NA	NA
González-Pinto et al.[10]	NA	NA	NA	NA	NA	NA	NA	NA	01 (100)	0 (0)	NA	NA	NA	NA	1 (100)	15.6	7.5	NA	23600	NA	NA	NA
Oxley et al.[11]	NA	1 (20)	2 (40)	0 (0)	1 (20)	0 (0)	1 (20)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	5 (100)	NA	3.7 (5.7)	658±638.2	7,400±2,200	NA	297.6±112.4	NA
Klok et al.[12]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0 (0)	NA	NA	NA	NA	NA	NA	NA
Al Saiegh et al.[13]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0 (0)	NA	2 (100)	NA	NA	NA	NA	NA	NA	NA
Zhai et al.[14]	7	1 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (100)	36.1	NA	NA	7,100	700	NA	NA
Yaghi et al.[15]	11.4±7.9	18 (56.3)	11 (34.4)	5 (15.6)	1 (3.1)	2 (6.3)	18 (56.3)	6 (18.8)	0 (0)	NA	NA	NA	NA	NA	32 (100)	131.8±106.8	5.3 (3.7)	NA	NA	NA	NA	NA
Valderrama et al.[16]	7	1 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	NA	NA	NA	NA	NA	NA	1 (100)	11	>10[†]	588	NA	NA	NA	NA
He et al.[17]	43	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	NA	NA	NA	NA	NA	NA	0 (0)	54.3	24.4	NA	7,300	200	141	NA
Li et al.[18,*]	11.4±8.9	9 (69.2)	6 (46.2)	3 (23.1)	NA	NA	NA	NA	5 (38.5)	2 (15.3)	NA	NA	NA	NA	NA	51.1 (1.3–127.9)	6.9 (0.3–20)	NA	7,700 (3,900–17,500)	600 (300–1,200)	142	NC
Mao et al.[19]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2 (100)	NA	NA	NA	NA	NA	NA	NA
Helms et al.[20]	NA	NA	NA	54 (13.9)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	No	NA	NA	NA	NA	NA	NA	NA
Lodigiani et al.[21]	NA	183 (47.2)	88 (22.7)	NA	20 (5.2)	NA	76 (19.6)	2 (22.2)	45 (11.6)	0 (0)	NA	NA	NA	2 (22.2)	NA	NA	NA	NA	NA	NA	NA	NA
TunÇ et al.[22]	2±1.4	3 (75)	1 (25)	NA	NA	NA	NA	0 (0)	0 (0)	0 (0)	NA	NA	NA	NA	4 (100)	136.3±164.3	3.6 (0.1)	150.5±79.3	NA	1,300±300	NA	NA
Muhammad et al.[23]	0±0	NA	NA	0 (0)	NA	NA	NA	NA	0 (0)	0 (0)	NA	NA	NA	NA	1 (100)	1.1	NA	NA	14,200	NA	NA	NA
Garaci et al.[24]	14	0 (0)	NA	1 (100)	0 (0)	0 (0)	NA	NA	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	NA	1 (100)	NA	5.9	NA	9,600	Lymphopenia[†]	42	NA
Moshayedi et al.[25]	5	NA	NA	NA	NA	1 (100)	NA	NA	0 (0)	0 (0)	NA	NA	NA	NA	1 (100)	NA	NA	NA	NA	NA	NA	NA
Zulfiqar et al.[26]	9	1 (100)	NA	NA	NA	NA	NA	NA	0 (0)	0 (0)	NA	NA	NA	NA	1 (100)	55	NA	NA	Normal[†]	NA	1–183[‡]	NA
Chen et al.[27]	0	NA	1 (100)	NA	NA	NA	NA	NA	0 (0)	0 (0)	NA	NA	NA	0 (0)	1 (100)	NA	NA	NA	8,600	300	172	NA
Co et al.[28]	14	1 (100)	0 (0)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1 (100)	NC	1.1	4,609	13,200	1,400	409	0.7
Deliwala et al.[29]	NA	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	NA	0 (0)	NA	NA	0 (0)	NA	0 (0)	0 (0)	0 (0)	NC	NC	NC	9,900	NA	173	NC
Goldberg et al.[30]	16	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1 (100)	NA	Elevated[†]	NA	NA	NA	NA	NA
Dahl-Cruz et al.[31]	7	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (100)	123	6.1	NA	11,100	NA	NA	NA

Study	AST (U/L)	ALT (U/L)	APLA positivity among those tested	Lupus anticoagulant positivity among those tested	Procalcitonin (ng/mL)	Troponin (pg/mL)	LDH (U/L)	aPTT (sec)	INR	PT (sec)	Fibrinogen (mg/dL)	Treatment details mentioned	TPA given, if no. mentioned	EVT done, if no. mentioned	Anticoagulation given, if no. mentioned	Antiplatelet given, if no. mentioned	Surgery done, if no. mentioned	Mortality, if no. mentioned
Beyrouti et al.[2]	NA	55.3±44.1	1 (20)	4 (80)	NA	31.2±21.7	502.5±126.9	32.5±5.6	1.5±1.1	15.5±9.3	630±210	Yes	2 (33.3)	NA	4 (66.6)	1 (16.6)	1 (16.6) EVD	1 (16.6)
Viguier et al.[3]	NA	NA	0 (0)	NA	NA	NA	NA	NA	NA	NA	820	Yes	NI	NI	1 (100)	NA	NA	0 (0)
Avulaa et al.[4]	32.5±11.9	28±18.6	NA	NA	4.9±7.9	NC	456±362	NA	NA	NA	NA	No	NI	NI	NA	2 (50)	NA	3 (75)
Zhou et al.[5]	45	30	0 (0)	NA	NA	Normal[†]	NA	Normal[†]	Normal[†]	NA	NA	Yes	NA	NA	1 (100)	1 (100)	NA	0 (0)
Sharifi-Razavi et al.[6]	Normal[†]	Normal[†]	NA	NA	NA	NA	NA	64	NA	12	NA	No	NI	NI	NI	NI	NA	NA
Zhang et al.[7]	21±1.7	11.3±3.5	3 (100)	0 (0)	0.23±0.15	1,338.8±2,198.6	427.3±199.7	45.5±2	NA	16.4±1.2	500±120	Yes	NA	NA	NA	NA	NA	NA
Morassi et al.[8]	116.3±30.9	74	NA	NA	NA	NA	860.4±223.4	53	1.6±0.1	NA	NA	Yes	NI: 2 (33.3); NA: 4 (66.6)	NI: 2 (33.3); NA: 4 (66.6)	2 (33.3)	2 (33.3)	NA	5 (83.3)
Helms et al.[9]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	No	NA	NA	NA	NA	NA	NA
González-Pinto et al.[10]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	yes	NI	NA	NA	NA	NA	01 (100)
Oxley et al.[11]	NA	NA	NA	NA	NA	NA	NA	31.9±7.6	NA	13.8±0.96	520±140	Yes	1 (20)	4 (80)	2 (40)	3 (60)	1 (20)	0 (0), H-2[§]
Klok et al.[12]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	No	NA	NA	NA	NA	NA	NA
Al Saiegh et al.[13]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Yes	NI: 1 (50); NA: 1 (50)	NI: 1 (50); NA: 1 (50)	NI: 1 (50); NA: 1 (50)	NI: 1 (50); NA: 1 (50)	2 (100)	0 (0), H-1[§]
Zhai et al.[14]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Yes	1 (100)	NA	NA	NA	NA	0 (0)
Yaghi et al.[15]	NA	NA	NA	NA	NA	2,145.5±4,724.1	NA	NA	NA	NA	NA	Yes	4 (12.5)	6 (18.8)	25 (78.1)	6 (18.7)	NA	14 (43.75), H-10[§]
Valderrama et al.[16]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	235	Yes	1 (100)	1 (100)	NI	NA	NA	0 (0)
He et al.[17]	NA	NA	NA	NA	3.42	NA	NA	36.8	1.05	13.8	NA	Yes	NI	NI	NA	NA	NA	1 (100)
Li et al.[18,*]	37 (19–271)	28 (13–163)	NA	NA	NA	NA	NA	NA	NA	NA	NA	Yes	0 (0)	0 (0)	6 (50)	6 (50)	NA	5 (38.5)
Mao et al.[19]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	No	NA	NA	NA	NA	NA	1 (20), NA-5
Helms et al.[20]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	No	NA	NA	NA	NA	NA	NA
Lodigiani et al.[21]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Yes	3 (33.3) (2 systemic and 1 local)	2 (22.2)	8 (88.8)	5 (55.6)	NA	02 (22.2), H-3[§]
TunÇ et al.[22]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Yes	NA	NA	2 (50)	4 (100)	NA	0 (0)
Muhammad et al.[23]	103	NA	NA	NA	NA	45	360	NA	NA	NA	NA	Yes	NI	NI	NI	NI	1 (100)	0 (0)
Garaci et al.[24]	NA	NA	0 (0)	0 (0)	NA	30.7	NA	NA	NA	NA	NA	Yes	NI	NI	1 (100)	NI	NA	NA
Moshayedi et al.[25]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Yes	NI	NI	1 (100)	NA	NA	1 (100)
Zulfiqar et al.[26]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	500	Yes	NI	NI	NI	NI	NA	0 (0)
Chen et al.[27]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Yes	1 (100)	NA	NA	NA	NA	1 (100)
Co et al.[28]	25	34	NA	NA	0.8	NC	406	NA	NA	NA	NA	Yes	1 (100)	NI	NA	1 (100)	NA	H-1
Deliwala et al.[29]	NA	NA	0 (0)	0 (0)	NA	NA	409	NA	NA	NA	NA	Yes	NI	NI	NA	1 (100)	NA	0 (0)
Goldberg et al.[30]	NA	NA	1 (100)	NA	NA	NA	NA	NA	NA	NA	NA	No	NI	NA	NA	NA	NA	NA
Dahl-Cruz et al.[31]	NA	NA	NA	NA	NA	NA	238	NA	NA	NA	NA	Yes	NI	NI	1 (100)	NI	NA	0 (0)

Values are presented as number (%) or mean±standard deviation.

COVID-19, coronavirus disease 2019; IS, ischemic stroke; ICH, intracerebral hemorrhage; CVT, cerebral venous thrombosis; SAH, subarachnoid hemorrhage; TOAST, Trial of ORG 10172 in Acute Stroke Treatment; LAD, large artery disease; SVD, small vessel disease; CE, cardioembolic disease; ICU, intensive care unit; CT, computed tomography; MRI, magnetic resonance imaging; CXR, chest X-ray; CTPA, CT pulmonary angiography; PTE, pulmonary thromboembolism; HTN, hypertension; DM, diabetes mellitus; CAD, coronary artery disease; HF, heart failure; AF, atrial fibrillation; CLD, chronic liver disease; COPD, chronic obstructive pulmonary disease; CKD, chronic kidney disease; COPD, chronic obstructive pulmonary disease; CRP, C-reactive protein; AST, aspartate transaminase; ALT, alanine tranasaminase; APLA, antiphospholipid antibody; LDH, lactate dehydrogenase; aPTT, activated partial thromboplastin time; INR, international normalised ratio; PT, prothrombin time; TPA, tissue plasminogen activator; EVT, endovascular thrombectomy; NA, not applicable; EVD, external ventricular drain; NC, not consistent (laboratory values provided were not consistent with the units used or wrong values were provided); NI, not indicated; H, hospitalised at the time of publication of the manuscript.

*This study mentioned laboratory parameters only in median (range) without individual patient data; †Exact value not available; ‡This patient had immune thrombocytopenia purpura with minimum and maximum platelet counts of 1 and 183,000/μL; § In the mortality column, 'H' stands for the number of patients still hospitalised at the time of publication of respective articles.